

MOBILE BULK FOOD CARRIER

- STAINLESS STEEL
- SINGLE OR DOUBLE COMPARTMENTS
- VARIOUS PAN INSERTIONS

- HEATED
- INSULATED
- LOW PROFILE

Model Series: H5000-*

APPLICATION:

- Nursing & Retirement Homes
- Tray make-up systems
- Back up storage
- Bulk or prepared food holding cabinet

SPECIFICATIONS:

- Stainless steel; Type 304
- “Heliarc” and spot-welded construction
- Reinforced sanitary interior and exterior wash-down construction
- Interior drain in base with basket strainer
- Insulated body allows exterior to stay cool when unit is being heated
- Insulated door with heavy duty 90° hold open door hinges
- Door may be mechanically latched in closed position
- Fan circulated heating system
- 60°C cabinet temperature rating
- Front mounted thermometer (10°-115°C/40°-240°F)
- ‘POWER ON’ and ‘THERMOSTAT ON’ indicator lights
- Variable heat setting thermostat with ‘OFF’ position
- Approved power supply cord with 3 prong end cap
- Push handle on top
- Extended wrap-around bumper for exterior protection
- 5” swivel, non-marking casters with 2 side brakes

PAN AND SLIDE INFORMATION:


- Pan slide assemblies are removable from unit for easy cleaning
- Various pan depths may be used at the same time in any given unit
- All pans must have same dimensions as 1220 full size pan

ELECTRICAL DATA:

- 120V, 60Hz, 1 Phase, 1400 Watts, 12 Amp
- NEMA 5-15 End Cap

OPTIONAL FEATURES [1]:

- 2 rigid casters (specify handle end or other end)
- 6” casters (add 1 ¼” [32mm] to overall height)
- Stainless steel wire grills for holding plates, small items and fractional pans
- Remove (*) from model code for non-NSF models



MOBILE BULK FOOD CARRIER

- STAINLESS STEEL
- SINGLE OR DOUBLE COMPARTMENTS
- VARIOUS PAN INSERTIONS


- HEATED
- INSULATED
- LOW PROFILE

Model Series: H5000-*

Select Model # by choosing proper insertion and pan size.

ELECTRICAL DATA:

- 120V, 60Hz, 1 Phase, 1400 Watts, 12 Amp
- NEMA 5-15 End Cap



MODEL #: H5001*			MODEL #: H5002*			MODEL #: H5003*			MODEL #: H5004*		
FULL SIZE PAN CAPACITY			FULL SIZE PAN CAPACITY			FULL SIZE PAN CAPACITY			FULL SIZE PAN CAPACITY		
2.5" DEEP	4" DEEP	6" DEEP	2.5" DEEP	4" DEEP	6" DEEP	2.5" DEEP	4" DEEP	6" DEEP	2.5" DEEP	4" DEEP	6" DEEP
9	6	3	18	12	6	9	6	3	18	12	6
STANDARD HEIGHT UNIT			STANDARD HEIGHT UNIT			STANDARD HEIGHT UNIT			STANDARD HEIGHT UNIT		
EXTRA CAPACITY UNIT			EXTRA CAPACITY UNIT			EXTRA CAPACITY UNIT			EXTRA CAPACITY UNIT		
10	6	4	20	12	8	10	6	4	20	12	8

Capacity based on pans of same depth in each unit.
 Refer to the following pages for unit dimensions.
 Fractional pan width must equal 1220 full size pan width.
 Wire grilles available to hold fractional sized pans for H5001 and H5002 models.
 Changes available to suit customer's requirements.

© Copyright 2011 Hatch Industries Ltd.



CANADA/USA TOLL FREE: 1-800-387-6969 FAX: 1-519-822-8365 www.hatchindustries.com

211 Dawson Road, Guelph, Ontario, Canada N1H 1A3
 Specifications subject to change without notice.




MOBILE BULK FOOD CARRIER

- STAINLESS STEEL
- 1220 FULL SIZE PANS ONLY
- ONE PAN PER SLIDE

- HEATED
- INSULATED
- LOW PROFILE

Model #: H5001-*



ELECTRICAL DATA:

- 120V, 60Hz, 1 Phase, 1400 Watts, 12 Amp
- NEMA 5-15 End Cap

STANDARD CAPACITY UNITS							
MODEL	FULL SIZE PAN CAPACITY			OVERALL WIDTH	OVERALL DEPTH	HEIGHT TO UNIT TOP	SHIPPING WEIGHT APP
	2.5" DEEP	4" DEEP	6" DEEP				
H5001-1220*	9	6	3	30" - 762mm	22" - 559mm	46.75" - 1187mm	250lb - 113.6kg

EXTRA CAPACITY UNITS							
MODEL	FULL SIZE PAN CAPACITY			OVERALL WIDTH	OVERALL DEPTH	HEIGHT TO UNIT TOP	SHIPPING WEIGHT APP
	2.5" DEEP	4" DEEP	6" DEEP				
H5001-1220-1*	10	6	4	30" - 762mm	22" - 559mm	49.75" - 1264mm	275lb - 125.0kg

Width and depth dimensions include bumper.
 Push handle extends 3 1/2" (89mm) past top of unit.
 Each 3" (76.2mm) added to height will increase 2.5" deep pan capacity by one pan.
 Changes available to suit customer's requirements.

© Copyright 2011 Hatch Industries Ltd.



CANADA/USA TOLL FREE: 1-800-387-6969 FAX: 1-519-822-8365 www.hatchindustries.com

211 Dawson Road, Guelph, Ontario, Canada N1H 1A3
 Specifications subject to change without notice.




MOBILE BULK FOOD CARRIER

- STAINLESS STEEL
- 1220 FULL SIZE PANS ONLY
- TWO PANS PER SLIDE

- HEATED
- INSULATED
- LOW PROFILE

Model #: H5002-*



ELECTRICAL DATA:

- 120V, 60Hz, 1 Phase, 1400 Watts, 12 Amp
- NEMA 5-15 End Cap

STANDARD CAPACITY UNITS							
MODEL	FULL SIZE PAN CAPACITY			OVERALL WIDTH	OVERALL DEPTH	HEIGHT TO UNIT TOP	SHIPPING WEIGHT APP
	2.5" DEEP	4" DEEP	6" DEEP				
H5002-1220*	18	12	6	30" - 762mm	33" - 838mm	46.75" - 1187mm	325lb - 147.7kg

EXTRA CAPACITY UNITS							
MODEL	FULL SIZE PAN CAPACITY			OVERALL WIDTH	OVERALL DEPTH	HEIGHT TO UNIT TOP	SHIPPING WEIGHT APP
	2.5" DEEP	4" DEEP	6" DEEP				
H5002-1220-1*	20	12	8	30" - 762mm	33" - 838mm	49.75" - 1264mm	350lb - 159.1kg


Width and depth dimensions include bumper.
 Push handle extends 3 1/2" (89mm) past top of unit.
 Each 3" (76.2mm) added to height will increase 2.5" deep pan capacity by one pan.
 Changes available to suit customer's requirements.

MOBILE BULK FOOD CARRIER

- STAINLESS STEEL
- SINGLE COMPARTMENT
- FULL OR FRACTIONAL SIZE PANS

- HEATED
- INSULATED
- LOW PROFILE

Model #: H5003-*



ELECTRICAL DATA:

- 120V, 60Hz, 1 Phase, 1400 Watts, 12 Amp
- NEMA 5-15 End Cap

STANDARD CAPACITY UNITS							
MODEL	FULL SIZE PAN CAPACITY			OVERALL WIDTH	OVERALL DEPTH	HEIGHT TO UNIT TOP	SHIPPING WEIGHT APP
	2.5" DEEP	4" DEEP	6" DEEP				
H5003-1220*	9	6	3	22" - 559mm	30" - 762mm	46.75" - 1187mm	250lb - 113.6kg

EXTRA CAPACITY UNITS							
MODEL	FULL SIZE PAN CAPACITY			OVERALL WIDTH	OVERALL DEPTH	HEIGHT TO UNIT TOP	SHIPPING WEIGHT APP
	2.5" DEEP	4" DEEP	6" DEEP				
H5003-1220-1*	10	6	4	22" - 559mm	30" - 762mm	49.75" - 1264mm	275lb - 125.0kg

Width and depth dimensions include bumper.
 Push handle extends 3 1/2" (89mm) past top of unit.
 Each 3" (76.2mm) added to height will increase 2.5" deep pan capacity by one pan.
 Changes available to suit customer's requirements.

© Copyright 2011 Hatch Industries Ltd.



CANADA/USA TOLL FREE: 1-800-387-6969 FAX: 1-519-822-8365 www.hatchindustries.com

211 Dawson Road, Guelph, Ontario, Canada N1H 1A3
 Specifications subject to change without notice.




MOBILE BULK FOOD CARRIER

- STAINLESS STEEL
- DOUBLE COMPARTMENT
- FULL OR FRACTIONAL SIZE PANS

- HEATED
- INSULATED
- LOW PROFILE

Model #: H5004-*



ELECTRICAL DATA:

- 120V, 60Hz, 1 Phase, 1400 Watts, 12 Amp
- NEMA 5-15 End Cap

STANDARD CAPACITY UNITS							
MODEL	FULL SIZE PAN CAPACITY			OVERALL WIDTH	OVERALL DEPTH	HEIGHT TO UNIT TOP	SHIPPING WEIGHT APP
	2.5" DEEP	4" DEEP	6" DEEP				
H5004-1220*	18	12	6	41.5" - 1054.1mm	30" - 762mm	46.75" - 1187mm	250lb - 113.6kg

EXTRA CAPACITY UNITS							
MODEL	FULL SIZE PAN CAPACITY			OVERALL WIDTH	OVERALL DEPTH	HEIGHT TO UNIT TOP	SHIPPING WEIGHT APP
	2.5" DEEP	4" DEEP	6" DEEP				
H5004-1220-1*	20	12	8	41.5" - 1054.1mm	30" - 762mm	49.75" - 1264mm	275lb - 125.0kg

Width and depth dimensions include bumper.
 Push handle extends 3 1/2" (89mm) past top of unit.
 Each 3" (76.2mm) added to height will increase 2.5" deep pan capacity by one pan.
 Double Units are presently not NSF Approved.
 Changes available to suit customer's requirements.

© Copyright 2011 Hatch Industries Ltd.



CANADA/USA TOLL FREE: 1-800-387-6969 FAX: 1-519-822-8365 www.hatchindustries.com

211 Dawson Road, Guelph, Ontario, Canada N1H 1A3
 Specifications subject to change without notice.

